

3M Science.
Applied to Life.™



3M Automotive Aftermarket

Conquer the Booth

GO-TO Product Catalog

Conquer the Booth

Paint Booth Wall, Floor & General Surface Protection

3M™ Dirt Trap 14" Film Dispenser

Metal dispenser for application of 3M™ Dirt Trap Film. Designed with high strength magnets that secure dispenser on a vertical metal surface while 3M™ Dirt Trap Clear Film is dispensed and applied. For use with 3M™ Dirt Trap Film.

UPC No.	ID	Qty./CS
0-00-51131-36863-7	36863	1

3M™ Dirt Trap 28" Material Dispenser

Metal dispenser for application of 3M™ Dirt Trap Material. Designed with high strength magnets that secure dispenser on a vertical metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material.

UPC No.	ID	Qty./CS
0-00-51131-36862-0	36862	1

3M™ Dirt Trap Material Wall Applicator

Metal dispenser for application of 28" wide 3M™ Dirt Trap Protection Material 36852. Adjustable wall applicator for one person installation.

UPC No.	ID	Qty./CS
0-00-51131-36866-8	36866	1

3M™ Dirt Trap Material 28" Floor Applicator

Metal dispenser for fast and easy application of 28" wide 3M™ Dirt Trap Protection Material 36852.

UPC No.	ID	Qty./CS
0-00-51131-36865-1	36865	1

3M™ Dirt Trap Material Floor Applicator Dispenser

Applicator/Dispenser used to apply 3M™ Dirt Trap Protection Material to floors. Dispenser designed to hold a maximum width of 56" Dirt Trap Material. Durable metal construction.

UPC No.	ID	Qty./CS
0-00-51131-36864-4	36864	1

3M™ Dirt Trap Protection Material

White or clear non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt, and paint overspray. The durable adhesive backed material brightens work areas and controls dust.

UPC No.	ID	Color	Size	Units	Qty./CS
0-00-51131-36851-4	36851	White	14" x 300'	Roll	1
0-00-51131-36852-1	36852	White	28" x 300'	Roll	1
0-00-51131-36853-8	36853	White	56" x 300'	Roll	1
0-00-51131-36856-9	36856	Clear	18" x 100'	Roll	1
0-00-51131-37852-0	37852	Gray	28" x 300'	Roll	1
0-00-51131-37853-7	37853	Gray	56" x 300'	Roll	1

3M™ Welding & Spark Deflection Paper

3M™ Welding and Spark Deflection Paper is a flame-retardant, repositionable, adhesive-backed paper product used to protect vertical surfaces from damage caused by welding spatter and grinding sparks. It is designed for use on vertical surfaces, such as:

- Automotive glass
- Painted sheet metal
- Automotive light fixtures
- Many other vertical surfaces

UPC No.	ID	Description	Qty./CS
0-00-51131-05916-0	05916	Paper, 24" x 150'	2
0-00-51131-05912-2	05912	Dispenser	1



Conquer the Booth

Accuspray™ ONE Spray Gun System with PPS™ Starter Kits

3M™ Accuspray™ Spray Gun System with PPS™ 16580

All-in-one spraying solution providing the equivalent of multiple brand new spray guns, for a fraction of the cost. Kit contains 1 each Accuspray™ ONE Spray Gun with color indicator rings, 4 Accuspray™ atomizing heads in sizes 1.2, 1.3, 1.4, and 1.8 mm, an airflow control valve, 5 each liners and lids (1 each w/125 micron filter, 4 each w/200 micron filter), 1 each standard size 22 oz. PPS™ hard cup and retaining ring, 1 mixing/measuring insert, and an instruction manual.

UPC No.	ID	Qty./CS
0-00-51131-16580-9	16580	4

3M™ PPS™ Starter Kit, Standard 16172

Standard size 3M™ PPS™ 6-pack starter kit with 6 disposable lids & liners with 200 micron filters, 1 standard size cup & collar, 1 standard size generic mix ratio insert, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16172-6	16172	22 fl. oz. (or 650 mL)	4

3M™ PPS™ Starter Refill Pack, Standard 16173

Standard size 3M™ PPS™ 12-pack refill, 12 disposable lids & liners with 200 micron filters, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16173-3	16173	22 fl. oz. (or 650 mL)	4

3M™ PPS™ Starter Kit, Large 16182

Large size 3M™ PPS™ 6-pack starter kit with 6 disposable lids & liners with 200 micron filters, 1 large size cup & collar, 1 large size generic mix ratio insert, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16182-5	16182	28 fl. oz. (or 850 mL)	4

3M™ PPS™ Starter Refill Pack, Large 16183

Large size 3M™ PPS™ 12-pack refill, 12 disposable lids & liners with 200 micron filters, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16183-2	16183	28 fl. oz. (or 850 mL)	4



Conquer the Booth

PPS™ Paint Preparation System Cups & Collars

3M™ PPS™ Mini Cup & Collar

Hard cup that supports and holds the PPS™ mini flexible liner (holds PN 16114). If filled to the top, this cup will hold 6 fl. oz. Mix ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16115-3	16115	6 oz.	2 Cups per Box/ 4 Boxes per CS



3M™ PPS™ Midi Cup & Collar

Midi hard cup that supports and holds the PPS™ flexible liners (PN 16112). Mix Ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16122-1	16122	13.5 oz.	2 Cups per Box/ 4 Boxes per CS



3M™ PPS™ Standard Cup & Collar

Standard hard cup that supports and holds the PPS™ flexible liners (PN 16301, 16000). Mix ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16001-9	16001	22 oz.	2 Cups per Box/ 4 Boxes per CS



3M™ PPS™ Large Cup & Collar

Large hard cup that supports and holds the PPS flexible liners (PN 16024, 16324 and 16325). Mix ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16023-1	16023	28 oz.	1 Cup per Box/ 4 Boxes per CS



3M™ PPS™ Type H/O Pressure Cup

This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun or spray gun regulator. Mix ratio inserts sold separately.

UPC No.	ID	Description	Size	Qty./CS
0-00-51131-16121-4	16121	Mini	6 oz.	1 Cup per Box/ 4 Boxes per CS
0-00-51131-16124-5	16124	Large	28 oz.	1 Cup per Box/ 2 Boxes per CS



Conquer the Booth

PPS™ Paint Preparation System Lids & Liners

3M™ PPS™ Kit, Micro 16028

Kit contains 50 disposable lids with 200 micron filters, 50 liners, and 20 sealing plugs. Note: mix ratio insert sold separately. For use with PN 16115 or 16121 (H/O pressure cup). The 200 micron filters are recommended for traditional solvent-based paint or industrial applications.

UPC No.	ID	Size	Qty./CS
0-00-51131-16028-6	16028	3 oz.	1

3M™ PPS™ Kit, Mini 16114

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent-based paint or industrial applications. Graduated measurement to 5-½ oz. when used with generic mix ratio film insert (mix ratio inserts sold separately). Max. capacity of 6 fl. oz. For use with PN 16115.

UPC No.	ID	Size	Qty./CS
0-00-51131-16114-6	16114	6 oz.	1

3M™ PPS™ Kit, Midi 16112

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent or Industrial applications. Mix ratio inserts sold separately. Max capacity 13.5 oz. For use with Midi Cup & Collar PN 16112.

UPC No.	ID	Size	Qty./CS
0-00-51131-16112-1	16112	13.5 oz.	1

3M™ PPS™ Kit, Standard 16000

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent or Industrial applications. Mix ratio inserts sold separately. Max capacity 22 oz. For use with Standard Cup & Collar PN 16001.

UPC No.	ID	Size	Qty./CS
0-00-51131-16000-2	16000	22 oz.	1

3M™ PPS™ Kit, Large 16024

Kit contains 25 disposable lids with 200 micron filters, 25 disposable liners, and 10 sealing plugs. The 200 micron filters are recommended for traditional solvent-based paint or industrial applications. Graduated measurement to 28 oz./840 mL when used with mix ratio film insert (mix ratio film inserts are sold separately). For use with PN 16023 or 16124.

UPC No.	ID	Size	Qty./CS
0-00-51131-16024-8	16024	28 oz.	1

3M™ PPS™ Liners (Liners ONLY)

UPC No.	ID	Description	Size	Qty./CS
0-00-51131-16348-5	16348	Mini	6 oz.	100
0-00-51131-16350-8	16350	Standard	22 oz.	100
0-00-51131-16351-5	16351	Large	28 oz.	100

3M™ PPS™ Lids (Lids ONLY)

UPC No.	ID	Description	Size	Qty./CS
0-00-51131-16201-3	16201	Mini/Micro	3 oz./6 oz.	25
0-00-51131-16204-4	16204	Midi	13.5 oz.	25
0-00-51131-16200-6	16200	Standard/Large	22 oz./28 oz.	25



Conquer the Booth

PPS™ Paint Preparation System Accessories

PPS™ Liner Dispenser

Wall mount dispenser fits Midi (13.5 oz.), Standard (22 oz.), Large (28 oz.) liners. Includes 3M™ double-sided tape for mounting.

UPC No.	ID	Size	Qty./CS
0-00-51131-16219-8	16219	Midi, Standard, Large	1

PPS™ Lid Dispenser

Wall mount dispenser that fits Midi (13.5 oz.), Standard (22 oz.), Large (28 oz.) lids. Includes 3M™ double-sided tape for mounting.

UPC No.	ID	Size	Qty./CS
0-00-51131-16299-0	16299	Midi, Standard, Large	1

PPS™ Mini/Micro Lid & Liner Dispenser

Wall mount dispenser that fits the Micro (3 oz.) and Mini (6 oz.) lids and liners. Includes 3M™ double-sided tape for mounting.

UPC No.	ID	Size	Qty./CS
0-00-51131-16298-3	16298	Micro, Mini	1

PPS™ Mixing Ratio Inserts

PPS™ Mixing Ratio Inserts to allow mixing inside of the PPS™ cup.

UPC No.	ID	Size	Qty./CS
3M™ PPS™ Mini Mix Ratio Insert			
0-00-51131-16066-8	16066	6 oz.	10 per Pack/ 5 Packs per CS
3M™ PPS™ Midi Mix Ratio Insert			
0-00-51131-16155-9	16155	13.5 oz.	10 per Pack/ 10 Packs per CS
3M™ PPS™ Standard Mix Ratio Insert			
0-00-51131-16065-1	16065	22 oz.	100 per Pack/ 1 Box per CS
3M™ PPS™ Large Mix Ratio Insert			
0-00-51131-16091-0	16901	28 oz.	10 per Pack/ 10 Packs per CS



Conquer the Booth

Accuspray™ ONE Spray Guns & Accessories

3M™ Accuspray™ ONE Spray Gun Kit HGP

An HVLP gravity pressurized spray gun, to be used with a pressurized H/O cup system to provide superior application of high viscosity coatings. Kit contains one each HGP spray gun and four atomizing heads — two each 1.8 mm nozzles and two each 2.0 mm nozzles.

UPC No.	ID	Qty./CS
0-00-51131-16587-8	16587	1

3M™ Accuspray™ ONE Spray Gun Kit

HVLP spray gun system that offers the performance of multiple spray guns via replaceable atomizing heads. Kit includes atomizing heads in 1.2, 1.3, 1.4, 1.8, 2.0 mm sizes, air flow control valve and gun hanger.

UPC No.	ID	Size	Qty./CS
0-00-51131-16578-6	16578	1.2, 1.3, 1.4, 1.8, 2.0 mm	4

3M™ Accuspray™ Atomizing Head

Replaceable atomizing heads for use with any 3M™ Accuspray™ Spray Gun with replaceable atomizing head technology. Refill kits contain four atomizing heads.

UPC No.	ID	Color	Size	Qty./CS
0-00-51131-16609-7	16609	Red Opaque	2.0 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16611-0	16611	Clear	1.8 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16612-7	16612	Orange	1.4 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16614-1	16614	Green	1.3 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16615-8	16615	Blue	1.2 mm	4 Heads per Kit/ 6 Kits per CS

3M™ Accuspray™ Atomizing Head Single

Replaceable atomizing heads for use with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun. The transparent atomizing head offers visual confirmation that the gun is clean. Head can be removed, discarded and replaced for the performance of a brand new spray gun on demand.

UPC No.	ID	Color	Size	Qty./CS
0-00-51131-16582-3	16582	Blue	1.2	10
0-00-51131-16583-0	16583	Green	1.3	10
0-00-51131-16584-7	16584	Orange	1.4 mm	10
0-00-51131-16585-4	16585	Clear Transparent	1.8 mm	10

3M™ Accuspray™ Fluid Needle 16571

Replaceable fluid needle for 3M™ Accuspray™ Atomizing Head Spray Guns.

UPC No.	ID	Qty./CS
0-00-51131-16571-7	16571	1

3M™ Accuspray™ System HVLP Test Air Cap

Used to test Accuspray™ Spray Guns for HVLP Compliance.

UPC No.	ID	Qty./CS
0-00-51131-16572-4	16572	1

3M™ Accuspray™ Air Flow Control Valve

Replacement air flow control valve for Accuspray™ spray guns.

UPC No.	ID	Qty./CS
0-00-51131-16573-1	16573	1



Conquer the Booth

Paint Finishing System

3M™ Perfect-It™ EX Rubbing Compound

This unique formula offers the highest level of performance; specifically engineered for less sling and powdering providing you the easiest clean up. 3M™ Perfect-It™ EX Rubbing Compound quickly removes P1200 grade and finer sand scratches and other surface defects. It's our best rubbing compound for painted surfaces. With very smooth handling. It performs better than other compounds in all climates, especially hot and humid conditions.

Part No.	Description	Part No.	Description
36058	1/2 Pint (8 fl oz)	36061	Gallon (122 fl oz)
36060	Quart (32 fl oz)		



3M™ Perfect-It™ EX Machine Polish

We've combined innovative ingredients with our high-performance liquid mineral technology to create a machine polish that cuts, handles, and cleans up better. 3M™ Perfect-It™ EX Machine Polish stays wetter longer, delivering a longer work time and less sling. It wipes up easily, saving you clean up time.

Part No.	Description	Part No.	Description
06093	1/2 Pint (8 fl oz)	06095	Gallon (122 fl oz)
06094	Quart (32 fl oz)		



3M™ Perfect-It™ EX Ultrafine Machine Polish

Our high-performance ultrafine machine polish has a unique formula to quickly and effectively eliminate swirl marks. It produces a high gloss finish, even on the most difficult dark-colored vehicles. It has good handling and easy cleanup allowing you to use less.

Part No.	Description	Part No.	Description
06097	1/2 Pint (8 fl oz)	06068	Quart (32 fl oz)
39062	Pint (16 fl oz)	06069	Gallon (122 fl oz)



Conquer the Booth

Paint Finishing — Large Area

Step

1



Initial Defect Removal Texture Match

DA sand the repair area with a P1500 3M™ Trizact™ Clear Coat Sanding Disc used damp or a P1500 3M™ Purple Finishing Film Hookit™ Disc. Remove all defects and match texture to adjacent surfaces. Wipe surface clean with a yellow microfiber cloth.

Step

2



Scratch Refinement

Refine the P1500 scratches with a DA and a P3000 3M™ Trizact™ Foam Disc used damp with a soft interface pad. Wipe surface clean with a yellow microfiber cloth.

Refine the P3000 scratches with a DA and a 5000 3M™ Trizact™ Foam Disc used damp with a soft interface pad. Wipe panel clean.

Step

3



Compound

Compound the repair area with a buffer set between 1200 – 2000 Max. RPM. For faster results, use a wool compounding pad and the appropriate rubbing compound. Wipe surface clean with a yellow microfiber cloth.

Step

4



Machine Polish

Polish the repair area with a buffer set between 1200 – 2000 Max. RPM. Use a black foam polishing pad and the appropriate machine polish. Wipe surface clean with a yellow microfiber cloth.

Step

5



Ultrafine Machine Polish

Polish the repair area with a high speed polisher with the speed set between 1200 – 2000 Max. RPM. Use a blue foam polishing pad and the appropriate ultrafine machine polish. Leave a light film of the polish on the surface and wipe clean with a microfiber cloth. Remove any masking material from the repair area and clean any residual sling from adjacent surfaces. Cleaning the surface immediately after compounding and polishing will greatly improve the ease of cleaning.

Step

6



Protection

Apply 3M™ Perfect-It™ Boat Wax to protect the surface. When applying wax, apply in a 2' x 2' area and wipe area clean before the wax dries. Do not allow wax to haze or dry on the painted surface.

Product List

- 3M™ Trizact™ Hookit™ Clear Coat Sanding Disc, 02088, P1500, 6 in.



- 3M™ Purple Finishing Film Hookit™ Disc, 30667, P1500, 6 in.



- 3M™ Perfect-It™ Detail Cloth, 06016, 6 cloths/bag



- 3M™ Trizact™ Hookit™ Foam Disc, 02085, P3000, 6 in.



- 3M™ Hookit™ Soft Interface Pad, 05777, 6 in.



- 3M™ Trizact™ Hookit™ Foam Disc, 30362, 5000, 3 in.



- 3M™ Perfect-It™ EX Rubbing Compound, 36060, Quart (946mL)




- 3M™ Perfect-It™ Wool Compounding Pad, 05753, 9 in.



- 3M™ Quick Connect Adaptor, 05752, 5/8 in. thread



- 3M™ Perfect-It™ Foam Compounding Pad, 05706, 9 in.




- 3M™ Perfect-It™ Foam Polishing Pad, 05707, 9 in.



- 3M™ Perfect-It™ EX Machine Polish, 06094, Quart (946mL)



- 3M™ Perfect-It™ Ultrafine Foam Polishing Pad, 05708, 9 in.



- 3M™ Perfect-It™ EX Ultrafine Machine Polish, 06068, Quart (946mL)



- 3M™ Perfect-It™ Boat Wax, 36113, Quart



Conquer the Booth

What is a 3M *premium* filler?

Premium



- Super creamy, super easy sanding
- Corrosion resistant
- Reduces micro pinholes; significantly reduces need for finishing glaze
- Available in gallons and DMS cartridges

Better



- Easy to mix, spread and sand
- Creamy formula that achieves extreme adhesion wide variety of substrates
- Available in gallons and DMS cartridges

Good



- Tack-free with adhesion promoters
- Follow up with 3M™ Platinum™ Plus Finishing Glaze for best overall finish
- Available in gallons



Platinum™
Select

Platinum™
Plus

Quick Grip™

Market					DMS Available*	Selection Guide for Fillers and Glazes						
Transportation	Marine	Sign and Display	Woods	Part No.		Stock No.	Description	Color	Cure Time	Size	Units per Case	
Fillers												
Premium	◆	◆	◆		✓	3M™ Platinum™ Select Filler Fast surface adhesion to aluminum, steel, galvanized steel, e-coat, fiberglass and SMC; reduces the amount of primer used to cover micro pinholes; stain-free; perfect for use under all basecoat/clearcoat, including water borne; excellent corrosion resistant properties						
						31131	60455084362	3M™ Platinum™ Select Filler	Light Lavender	 15–20 min.	1 Gal	4
						31130	60455084081	3M™ Platinum™ Select Filler			3 Gal	1
						31128	60455084586	3M™ Platinum™ Select Filler			5 Gal	1
Better	◆	◆	◆		✓	3M™ Platinum™ Plus Filler Super creamy formula; extreme adhesion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy and Urethane Primers; Manufactured with only the highest quality ingredients; including proprietary adhesion promoter.						
						01131	70008000955	3M™ Platinum™ Plus Filler	Gold	 15–20 min.	1 Gal	4
						01130	70008011564	3M™ Platinum™ Plus Filler			3 Gal	1
						01132	70008000963	3M™ Platinum™ Plus Filler Air Cartridge			3 Gal	2
						31139	60455065460	3M™ Platinum™ Plus Filler with hardener			5 Gal	1
Good				◆		3M™ Quick Grip™ Body Filler Reduces the time to shape and sand; bonds rapidly to galvanized steel, aluminum, E-Coat, fiberglass, SMC, cured epoxy, urethane primers; creates a great feather edge; reduces pinholes; stain-free/tack-free finish helps avoid extreme loading of sandpaper; cured and sandable in 15 min.						
						33177	60455072037	3M™ Quick Grip™ Body Filler	Gray	 15 min.	1 Qt	12
						33181	60455072029	3M™ Quick Grip™ Body Filler			1 Gal	4
						33183	60455072052	3M™ Quick Grip™ Body Filler			3 Gal	1
						33185	60455072060	3M™ Quick Grip™ Body Filler			5 Gal	1
Glazes												
Better	◆	◆	◆		✓	3M™ Platinum™ Plus Finishing Glaze Achieves extreme adhesion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy and Urethane Primers; cuts the sanding time to as little as 15 minutes						
						31180	60455054316	3M™ Platinum™ Plus Finishing Glaze	Mint Green	 15–20 min.	30 oz.	6
						03180	70008003439	3M™ Platinum™ Plus Finishing Glaze			24 oz.	6
						12011	70008003512	3M™ Platinum™ Plus Glaze			24 oz.	6

*See next page for 3M™ Dynamic Mixing System (DMS) product details.

Conquer the Booth

Mix-on-Demand

3M™ Dynamic Mixing System

Automatically mix and dispense the perfect amount of adhesives, sealers and filler products. Designed to maximize productivity, reduce waste and increase profit potential.



Part No.	Stock No.	Description	Size	Units per Case
Fillers and Glazes				
05877	60455066310	3M™ Reinforced Body Filler for DMS Milled fiberglass reinforced polyester filler that can create water resistant repairs to holes and rust in a two-component cartridge. More than twice the strength of ordinary body fillers. Can be used in conjunction with fiberglass tape, cloth or mat to repair and rebuild fiberglass materials.	276 mL	6
05863	60455065601	3M™ Platinum™ Plus Body Filler for DMS Cartridge-based, two-component body repair material. Super creamy formula that achieves extreme adhesion to galvanized steel, aluminum, E-coat, fiberglass, SMC, cured epoxy, urethane and primers.	276 mL	6
05859	60455065627	3M™ Dent Filling Compound Body Filler for DMS, 95 degrees Warm weather filler in a cartridge-based two-component body repair material. Ideal for large panel repairs.	276 mL	6
05862	60455065619	3M™ Platinum™ Glaze for DMS Cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound.	276 mL	6
05857	60455065635	3M™ Dent Finishing Glaze for DMS Cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound.	276 mL	6
35863	60455084073	3M™ Platinum™ Select Filler for DMS Designed to increase productivity in the body man process by reducing pinholes. Decreases primer usage by up to 30%, based on its creamy formulation that will spread, cure and sand as one of the best body fillers that 3M offers.	276 mL	6
Bonding Adhesives, Sealers and Coatings				
58115	60455054837	3M™ Panel Bonding Adhesive for DMS Two-part epoxy used to bond steel, aluminum, SMC and FRP (traditional fiberglass). Use to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.	450 mL	4
57333	60455083455	3M™ Impact Resistant Structural Adhesive for DMS Two-part epoxy adhesive which provides an extended work time, but can be rapidly cured with heat. Excellent adhesion to a wide variety of properly prepared automotive substrates including steel and aluminum. Intended for true structural bonding applications when specified by automotive OEMs, and is recommended for all weld-bonded and rivet-bonded joints.	450 mL	2
58308	60455054845	3M™ Heavy-Bodied Seam Sealer for DMS Two-part epoxy for use in vertical or horizontal seams to match OEM sealers. Non-sagging, non-flowing and easy to tool. Paintable in 30 minutes, 10 minute worktime. No shrinkage or cracking.	600 mL	4
58310	60455069900	3M™ Bare-Metal Seam Sealer for DMS Two-part epoxy with corrosion inhibitors for use on vertical or horizontal bare metal seams. Heavy-bodied, non-sagging, non-flowing and easy tooling formulation for matching OEM seam sealer appearances. Paintable in 15 minutes, 8 minute worktime. No shrinkage or cracking.	600 mL	4
55887	60455054829	3M™ EZ Sand Multi Purpose Flexible Repair Material for DMS Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. Easy sanding and formulated for excellent featheredge.	600 mL	4

Learn more about our GO-TO products at:
3MSpraySolutions.com

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.



3M Automotive Aftermarket
3M Center, Building 223-6N-01
St. Paul, MN 55144 USA
3MSpraySolutions.com

3M, Accuspray, Hookit, Perfect-It, Platinum, PPS, Quick Grip and Trizact are trademarks of 3M Company. © 3M 2017. All rights reserved.