


Instruct. Identify. Impress.



3M[™] High Temperature Resistant Label Material 3921

Easily identify different wire harnesses.

3M™ Polyester Label Material 7871/ 7871V

Radiator warning label stays on and gets noticed, even in heat.

3M[™] Polyester Label Material 7868/ 7868V

Jump start battery labels for branding, instructions and warnings.

3M[™] Polyester Label Material 7879

Adhesive that adheres to slightly oily surfaces e.g., pumps for power steering.



bond structured plastics.

jams stay put.

inside the door jam.

mechanical influences.

Applications for e-mobility.

New, changing or increasing number of components.

Testing and documentation are essential requirements for supplying labels to the automotive industry. We support suppliers and car manufacturers in their specialization processes.



3M™ Polyester Label Material 7247

Operating instructions in the fuel filler flap on differently shaped surfaces.

3M™ Polyolefin Label Material 76716NA

Product labeling on flexible materials.

3M™ Durable Resin Ribbon 92904

Offers high solvent and chemical resistance when printed on a range of 3M PP and PET label materials, allowing sequential labeling of parts without the need for over lamination.




3M™ Polyester Label Material 7871/7871V

Long-lasting operating instructions for chargers.



3M[™] Polyester Label Material 7868/ 7868V

Battery labels for branding, instructions and warnings.



3M[™] Laser Markable Label Material 7847

Instructions for service and loading.



3M[™] Polyester Label Material 7871/ 7871V

Radiator warning label stays on and gets noticed, even in heat.

3M™Automotive-Ready Portfolio of Durable Label Solutions

Products	Facestock	Adhesive Performance	Products	Facestock	Adhesive Performance
3M [™] Vinyl Label Material 3690E+	Vinyl white-glossy	+++	3M™ Polyester Label Material 92200	Polyester white-glossy	++
3M™ Destructible Label Material 3812	Polyurethane white-matte	++/+++	3M™ Polyester Label Material 7331(V)	Polyester white-glossy	++
3M™ Laser Markable Label Material 7847	Aprylate black-matte/white	++/+++	3M™ Polyester Label Material 7868(V)	Polyester white-glossy	++/+++
3M [™] High Temperature Resistant Label Material 3922	Acrylete white-mette.	++	3M™ Polyester Label Material Versatile Print 7871(V)	Polyester white-glossy	++/+++
3M [™] Tamper Evident Label Material 7380	Polyester white-mette	++/+++	3M™ Polyester Label Material 7872(V)	Polyester silver-glossy	+++
3M [™] Polyester Label Material 7247	Polyester silver-mette	+++	3M™ Polyester Label Material 7879	Polyester silver-mette	+++
3M™ Recyclable Label Material 7777	Polyurethane white-glossy	++	3M™ Polyolefin Durable Label Material FP0354EG	Polyolefin white-mette	++

We will help you to find the right product for your needs. We can help test various substrates according to your procedures.



3M Industrial Adhesives & Tapes 3M Center, Bldg 225-3S-06 St. Paul, MN 55144-1000 USA

Phone 1-800-362-3550 Web 3M.com/durablelabels Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for oustomer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disolaimen Unless a different warranty is specifically stated on the applicable 3M product peckaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liabilitys Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

3M is a trademark of 3M Company, Please recycle, Printed in USA, @ 3M 2021, All rights reserved, 05/2021